



PATTIMURA AIRPORT (WAPP / AMQ) QUICKVIEW

VER 1.0




**NOT FOR REAL NAVIGATION
FOR SIMULATION USE ONLY**



Pattimura Airport (WAPP / AMQ)

AMBON APPROACH (APP) : 121.100
PATTIMURA TOWER : 122.200
AIRPORT ELEVATION : 33'



STANDARD INSTRUMENT DEPARTURE


SID	RUNWAY 22	
AMBON	1	MAINTAIN 3500' UNTIL INTERCEPTING AMN R-170
AMBON	2	MAINTAIN 3500' UNTIL INTERCEPTING AMN R-180
AMBON	3	
AMBON	4	

STANDARD ARRIVAL

STAR RWY 04
AMAHAI
ASILULU
BAUCAU
BUANO
HARUKU
SERAM

PATTIMURA AIRPORT (WAPP / AMQ) QUICKVIEW

ILS RUNWAY 04



ILS FREQ (IAMN) : 111.100
FINAL COURSE : 047

VOR FREQ (PMA) : 113.600
NDB FREQ (OH) : 340

RWY 04 ELEVATION : 31'

MISSED APPROACH :
TURN RIGHT OUTBOUND
PMA VOR R-070 TO 4100'
THEN RIGHT TURN TO PMA
VOR R-277 TO AUDRI. Max
speed during turn 210 kts IAS

VERSION HISTORY

VERSION	DATE	NOTES
1.0	SEPTEMBER, 2012	INITIAL RELEASE

PREPARED BY ;

Suardi Handoko

SUNARDI HANDOKO
UJUNG PANDANG FIR CHIEF

Winaldi Wijaya P

WINALDI WIJAYA P
UJUNG PANDANG ASST FIR CHIEF